

---

ELEVENTH SYMPOSIUM ON

**turbulent  
shear  
flows**

---

**Grenoble, France**  
September 8-10, 1997

**VOLUME 3**  
**SESSIONS 23-34**  
**POSTER SESSION 3**
















Figure 5: Comparison for  $\beta \approx 0.65$ ; — DNS at  $Re_\theta = 670$ ; - - DRSM at  $Re_\theta = 670$ ; -o- similarity solution for the DRSM. Streamwise velocity in (a) inner-layer scalings, and (b) outer-layer scalings. Streamwise normal stress in (c) inner-layer scalings and (d) outer-layer scalings.

verse pressure gradients, where it considerably overpredicts the wall-shear stress. The DRSM was also compared with our new DNS for  $\beta \approx 0.25$  and  $0.65$  at the relatively low Reynolds number  $Re_\theta = 670$ . It turns out that the DRSM correctly predicts the low-Reynolds-number effects for the evolution of the boundary layer to its high- $Re$  similarity solution.

## REFERENCES

- Bradshaw, P., 1967, "The turbulent structure of equilibrium boundary layers," *J. Fluid Mech.*, Vol. 29, pp. 625-645.
- Cebeci, T. and Smith, A.M.O., 1974, *Analysis of Turbulent Boundary Layers*, Academic Press, New York.
- Clauser, F.H., 1954, "Turbulent boundary layers in adverse pressure gradients," *J. Aero. Sci.*, Vol. 21, 1954, pp. 91-108.
- Coles, D., 1956, "The law of the wake in the turbulent boundary layer," *J. Fluid Mech.*, Vol. 1, pp. 191-226.
- Hanjalić, K., Jakirlić, S., and Hadžić, I., 1995, "Computation of oscillating turbulent flows at transitional Reynolds numbers." In *Turbulent Shear Flows 9*, F. Durst et al. (eds), pp. 323-342. Springer-Verlag.
- Henkes, R.A.W.M., 1997a, "Scalings of equilibrium boundary layers under adverse pressure gradient according to different turbulence models," Submitted to *AIAA J.*
- Henkes, R.A.W.M., 1997b, "Comparison of turbulence models for attached boundary layers relevant to aeronautics," To appear in *Appl. Sci. Res.*
- Launder, B.E. and Sharma, B.I., 1974, "Application of the energy-dissipation model of turbulence to the calculation of flow near a spinning disk," *Let. Heat Mass Transfer*, Vol. 1, pp. 131-138.
- Lundbladh, A., Henningson, D.S. and Johansson, A.V., 1992, "An efficient spectral integration method for the solution of the Navier-Stokes equations." FFA-TN 1992-28, Aeronautical Research Institute of Sweden, Bromma.
- Lundbladh, A., Schmid, P.J., Berlin, S. and Henningson, D.S., 1994, "Simulation of bypass transition in spatially evolving flows", Proceedings of the AGARD Symposium on Application of Direct and Large Eddy Simulation to Transition and Turbulence. AGARD-CP-551, 1994.
- Skåre, P.E., 1994, "Experimental investigation of an equilibrium boundary layer in strong adverse pressure gradient," University of Trondheim. PhD Thesis. Report NTH 1994:179 (D).
- Skåre, P.E. & Krogstad, P.-Å. 1994 "A turbulent equilibrium boundary layer near separation," *J. Fluid. Mech.*, Vol. 187, pp. 61-98.
- Spalart, P.R., 1988, "Direct numerical simulations of a turbulent boundary layer up to  $Re_\theta = 1410$ ." *J. Fluid Mech.*, Vol. 187, pp. 61-98.
- Tennekes, H. & Lumley, J.L., 1972, *A First Course in Turbulence*, The MIT Press.
- Wilcox, D.C., 1993, *Turbulence Modelling*, DCW Industries Inc.